



WHD[®]
SOUNDS GOOD



VoiceBridge

Clear and secure communication despite protective measures:
The VoiceBridge is the fully automatic intercom system for easy retrofitting.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



voice-bridge.com

VoiceBridge



WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

voice-bridge.com





Contents


Overview	05
Benefits using the VoiceBridge	07
VoiceBridge - Introduction and setup	
Set 1 – Standard	10
Set 2 – Bluetooth	13
Set 3 – Standard & Bluetooth	16
Accessories	20
Ordering	23
Frequently asked questions	25

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany


Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



Happy customers, Smooth workflows

The VoiceBridge helps companies to keep communication at cash registers and information desks clear and understandable even with protective measures, safety distance, hygienic walls and protective masks. Retailers stand out from the competition in terms of advice, service and security.




WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



Set 1

VoiceBridge Standard

The complete set „Standard“ is particularly useful for workplaces where the staff is standing or sitting permanently in one place and does not move away from the microphone unit.

SKU	111-020-04-200-02
RRP incl. VAT	199,90 €

Page10

Set 2

VoiceBridge Bluetooth

The mobile version: Thanks to Bluetooth, employees can move within a radius of 5-10 meters from the call station without losing contact with the customer.

SKU	111-020-04-300-00
RRP incl. VAT	199,90 €

Page13

Set 3

VoiceBridge Standard & Bluetooth

Always on the safe side: If the Bluetooth headset is temporarily switched off, the VoiceBridge station attached to the protective wall automatically takes over.

SKU	111-020-03-200-00
RRP incl. VAT	279,00 €

Page16

Accessories



Bluetooth-Headset

For use in combination with VoiceBridge Bluetooth-sets.

SKU	111-020-04-700-00
RRP incl. VAT	39,90 €

Page20



Voice-Bridge Battery

For use with all VoiceBridge sets unable to use regular power supplies.

SKU	101-600-00-200-10
RRP incl. VAT	79,90 €

Page20

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

Maximum freedom of motion

With a battery capacity of approx. 11 hours in continuous operation and a range of movement of 5-10 meters, you can stay in contact with your customers without interruption and provide them with optimal service.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



Why we developed the VoiceBridge

Hygiene protection measures often have a strong impact on communication with customers - ambient noise is an additional disturbance.

The VoiceBridge intercom system enables clear and safe communication again - without speaking loudly, preventing or bypassing the protective wall. The VoiceBridge can be quickly and easily attached to any hygiene protection wall.



Protection

Reduced risk of infection through droplet infection. Neither physical approach nor louder speaking is necessary.



Frustration-free

The new communication situation is no longer exhausting, less frustration on both sides.



Speech clarity

Enables consultation and communication under protective measures.



Simple

The fully automatic intercom system for easy retrofitting - not only in times of SARS-CoV-2.



Clever

Employees and customers communicate effortlessly, clearly and securely - even with mouth protection and in the case of strong background noise thanks to integrated AEC and NR technology.



Start

No complex installation, integration into other systems and networks necessary. Attach, plug in, speak!

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

Already in use a thousand times since the outbreak of the pandemic


Consultation and communication made easy: The VoiceBridge is a new, hygienic, safe and flexible solution especially for acrylic glass walls and cabins in pharmacies, medical practices, stores and supermarkets as well as for visitor booths in nursing homes.

In order to make communication as easy to understand as possible in any environment despite protective masks, safety distance and protective walls, we have equipped the VoiceBridge with the latest technology.




Automatic Calibration

The first time the VoiceBridge is started up, it automatically adjusts to the current environment for about 30 seconds. Echoes and feedbacks should not longer appear.



Digital

Because the VoiceBridge has been digitally designed from the start, it is possible to further improve the sound quality with DSP settings and algorithms.



Duplex

When developing the VoiceBridge, it was important that it works in duplex mode. This means that you can speak and listen at the same time.



Bluetooth

Employees move freely within a radius of 5-10 meters around the intercom station without losing contact with the customer.

NEW!



Microphone

Suitable for larger talking distances. No need to approach or speak extra loudly.



Noise Reduction

Reduces ambient noises.



Infrared sensors

Automatically detects when a customer is present. Hygienic handling, without pressing any buttons.



Acoustic Echo Cancellation

Avoids disturbing echoes.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

Flexible in use

The VoiceBridge is designed for many applications. It is ideal whenever hygiene protection is important or ambient noise makes communication even more difficult: pharmacies, medical practices, hospitals, nursing homes, hotel lobbies, counters, service and information desks.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de





The complete set "Standard" is especially designed for workplaces where staff is standing or sitting mostly in one place and does not move away from the intercom unit.

VoiceBridge

Set: Standard

Clear speech clarity despite protective measures

To make communication as understandable as possible in any environment despite protective masks, safety distance and protective walls, we have equipped the VoiceBridge with the latest technology.



Microphone

Suitable for larger talking distances. No need to approach or speak extra loudly.



Infrared sensors

Automatically detects when a customer is present. Hygienic handling, without pressing any buttons.




Noise Reduction

Reduces ambient noises.



Acoustic Echo Cancellation

Avoids disturbing echoes.



VoiceBridge Set: Standard

SKU

111-020-04-200-02

RRP incl. VAT

199,90 €

- ✓ **Contactless:** infrared sensors detect whether a person is standing in front of the device
- ✓ **Retrofit:** No integration into existing systems or networks required
- ✓ **Hygiene:** Device simply with surface cleaner cleaning
- ✓ **Volume:** Easy to adjust
- ✓ **No costly training of personnel necessary**

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de



Intercom unit
for customers

Intercom unit
for staff



First start-up

The first time the VoiceBridge is used, it automatically adjusts to the current environment for about 30 seconds. Echoes and feedback should not occur afterwards.

Find more tips and help topics in our FAQ on page 25.

VoiceBridge

Set: Standard

Introduction and setup

1.

Attach the units to the hygiene panel using the supplied double-sided adhesive tape and connect them with the supplied cable.

2.

Plug in power supply unit.

3.

Communicate clearly and effortlessly.


WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)





VoiceBridge

Set: Standard

Technical Information:

Activation / Deactivation via infrared

Microphones: Incl. AEC-Technology (Acoustic Echo Cancellation) and NR-Technology (Noise Reduction)

Cables: Length of connection cable: 1m

Length power supply cable: 2m

Size: 86 × 111 × 18mm

Weight: Weight per Unit: 160 g

Weight per set incl. packaging: 520 g


Operating voltage: 12VDC

Further connections/interfaces: for supplied system cable

Material: Plastic

Color: white

Accessories: Battery (p. 20); Connection cable: 2m or 5m long



Download material and manuals!

voice-bridge.com

Complete set "Standard" consisting of:

- 1 × intercom unit for customer
- 1 × intercom unit for staff
- 1 × power supply unit
- incl. cable (connecting cable: 1m, power cable: 2m)
- incl. double-sided adhesive tape

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany



Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

voice-bridge.com



With the all-inclusive set "Bluetooth", employees can move within a radius of 5-10 meters from the intercom unit without losing contact with the customer. If two intercom units cannot be connected because of a completely closed protective wall by cable, the Bluetooth option is also the ideal solution!



VoiceBridge

Set: Bluetooth



Maximum freedom of movement with ideal speech clarity

Staff normally continues to consult customers: the Bluetooth intercom unit can now be connected with a Bluetooth headset (included in the set). This way staff never loses contact to the customer.

The Bluetooth headset also works in combination with a protective visor and mouthguard and can also simply be muted.



Microphone

Suitable for larger talking distances. No need to approach or speak extra loudly.



Infrared sensors

Automatically detects when a customer is present. Hygienic handling, without pressing any buttons.



Noise Reduction

Reduces ambient noises.



Acoustic Echo Cancellation

Avoids disturbing echoes.

Simple and safe - thanks to innovation

- ✓ **Automatically connected:** Headset is paired with intercom unit at delivery and is extensible to up to 8 headsets
- ✓ **Radius:** Stay in contact with the customer within a radius of 5-10 meters
- ✓ **Hygiene:** Simply clean the device and headset with surface cleaner or order additional hygiene covers for the headset
- ✓ **Freedom of movement:** Ideal for work situations with frequent movements
- ✓ **No costly training of personnel necessary**

VoiceBridge Set: Bluetooth


SKU	111-020-04-300-00
RRP incl. VAT	199,90 €

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de



Bluetooth-Headset
11 hours of battery life

WHD[®]
SOUNDS GOOD

Intercom unit
for customers



First start-up

The first time the VoiceBridge is used, it automatically adjusts to the current environment for about 30 seconds. Echoes and feedback should not occur afterwards.

Connect up to 8 Bluetooth
headsets


Most commercially available
Bluetooth headsets work with
the VoiceBridge.

VoiceBridge

Set: Bluetooth



Introduction and setup



1.


Attach the customer intercom unit to the hygiene wall using the double-sided adhesive tape supplied and plug in the power supply unit.

2.

Switch on the headset and put it on.

3.

Communicate clearly and effortlessly.



Freedom to move around
the intercom unit (5-10 m)

WHD


Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
E-mail: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)

voice-bridge.com





VoiceBridge

Set: Bluetooth



Technical Information:

Activation / Deactivation via infrared

Microphones: Incl. AEC-Technology (Acoustic Echo Cancellation) and NR-Technology (Noise Reduction)

Cables: Length power supply cable: 2m

Size: 86 × 111 × 18mm

Weight: Weight per Unit: 160 g

Weight per set incl. packaging: 300 g

Operating voltage: 12VDC

Further connections/interfaces:

Bluetooth Version V5.0, Class II

Material: Plastic

Color: white

Accessories: Battery (p. 20)



Download material and manuals!

voice-bridge.com

Complete set "Bluetooth" consisting of:

- 1 × intercom unit for customer
- 1 × onear headset for personal (Bluetooth)
- 1 × power supply unit
- incl. necessary cables
- incl. double-sided adhesive tape

WHD



Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



The complete set consisting of two intercom units and additional Bluetooth headset is clever and secures personnel and customers twice: If the battery of the headset is empty, the VoiceBridge station attached to the protective wall automatically takes over.



VoiceBridge

Set: Standard & Bluetooth



Freedom of movement and safety in continuous use

The all-inclusive set with Bluetooth headset is particularly useful when seamless operation must be guaranteed and staff moves within a radius of 5-10 meters around the intercom units. A further advantage of this set: as soon as the headset is out of range or out of battery, the call station is automatically activated and taking over.

The Bluetooth headset is also functioning with protective visor and mouthguard. The headset can simply be muted with a double tap.



Microphone

Suitable for larger talking distances. No need to approach or speak extra loudly.



Infrared sensors

Automatically detects when a customer is present. Hygienic handling, without pressing any buttons.



Noise Reduction

Reduces ambient noises.



Acoustic Echo Cancellation

Avoids disturbing echoes.

SKU

111-020-03-200-00

RRP incl. VAT

279,90 €

Simple and safe - thanks to innovation

- ✓ **Automatically connected:** Headset with Intercom unit paired at delivery and extensible to up to 8 headsets
- ✓ **Radius:** Stay in contact with the customer within a radius of 5-10 meters
- ✓ **Hygiene:** Simply clean the device and headset with surface cleaner or order additional hygiene covers for the headset.
- ✓ **Automatic:** staff unit is activated as soon as headset is empty, out of range or turned off
- ✓ **No costly training of personnel necessary**

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)

Intercom unit
for customers

Intercom unit
for staff



First start-up

The first time the VoiceBridge is used, it automatically adjusts to the current environment for about 30 seconds. Echoes and feedback should not occur afterwards.

Seamless communication

If the headset is switched off, the VoiceBridge unit is automatically activated and takes over.

Connect up to 8 Bluetooth headsets

The supplied headset is automatically paired with the intercom unit.

VoiceBridge

Set: Standard & Bluetooth



Introduction and setup

1.

Attach the units to the hygiene wall using the supplied double-sided adhesive tape and connect them using the supplied cable.

2.

Plug in the power supply and put the headset into operation.

3.

Communicate clearly and effortlessly.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)





VoiceBridge

Set: Standard & Bluetooth



Technical Information:

Activation / Deactivation via infrared

Microphones: Incl. AEC-Technology (Acoustic Echo Cancellation) and NR-Technology (Noise Reduction)

Cables: Length of connection cable: 1m

Length power supply cable: 2m

Size: 86 × 111 × 18mm

Weight: Weight per Unit: 160 g

Weight per set incl. packaging: 600 g

Operating voltage: 12VDC

Further connections/interfaces:

for supplied system cable

Material: Plastic

Color: white

Accessories: Battery (p. 20); Connection cable: 2m or 5m long



Download material and manuals!

voice-bridge.com

Complete Set „Standard & Bluetooth“ consisting of:


- 1 × intercom unit for customer
- 1 × intercom unit for staff
- 1 × onear headset for personal (Bluetooth)
- 1 × power supply unit
- 2 × hygienic-Covers (Headset)
- incl. necessary cables
- incl. double-sided adhesive tape

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de




Always understandable

The VoiceBridge sets are designed for different situations under protection measures. The Bluetooth version is especially suitable for all situations where staff often moves around the workplace.



Accessories

Helpful extensions for the VoiceBridge



Bluetooth-Headset

The Bluetooth headset works in combination with the VoiceBridge Bluetooth sets (see p. 13 and 16).

- Convenient on-ear headset
- Headband microphone
- Range: 5-10 meters
- incl. USB charging cable (charging time: 2 hours)
- Battery life in continuous operation: approx. 11 hours

SKU	111-020-04-700-00
RRP incl. VAT	39,90 €



Battery

It is not always possible to connect the VoiceBridge to an electrical outlet with a power cord. Therefore we provide a suitable battery.

- 12V
- incl. charger
- incl. cable
- Battery life: up to 48 hours in continuous operation

SKU	101-600-00-200-10
RRP incl. VAT	79,90 €

More accessories

Talk to us!


- **Extra-hygiene:** protective covers for the headset available!
- **Cables:** lengths 1 m, 2 m and 5 m available!

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de



Always in contact



The VoiceBridge with Bluetooth functionality is perfect for situations where staff needs to leave the workplace - for example, to go to another room - but still want to stay in touch with the customer.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de



Shortly after the outbreak of the Corona pandemic, we were made aware of the numerous communication problems caused by the newly established protective measures. With the VoiceBridge, we are contributing to the adequate protection of staff, customers and patients and reducing frustration.

Stefan Huber,
Managing Director WHD

Ordering the VoiceBridge

1.

Online

Visit us online and order easily and securely around the clock.



www.voice-bridge.com

2.

Phone

Call us and order by phone. We look forward to your call!



+49 (0) 7420 889-0

3.

Email

Write us an email and we will be happy to answer your inquiry.



info@whd.de



Attractive volume discounts from 50, 100, 250 and 500 pieces



Shipping worldwide



Free delivery within Germany



Money-back guarantee:
Take your time and test the VoiceBridge



Many payment options available

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

voice-bridge.com



Always ready for action

Hygiene walls and protective measures: ambient noise and mouth protection make our communication difficult. In the long run, the VoiceBridge is the perfect solution for any protective installation in highly frequented personal areas (POS). The fully automatic intercom system reduces frustration and annoyance in already stressful situations - for staff and customers.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

Frequently asked questions

We have thought of everything to make it easy for you

First start-up

The first time the VoiceBridge is started up, it automatically adjusts to the respective environment for about 30 seconds. Echoes and feedback should not occur afterwards.

Mounting -

How do I attach the VoiceBridge?

The VoiceBridge is equipped with a highly adhesive mirror tape. Therefore, please test the best position before you attach the two microphone units.

Positioning -

Where do I attach the VoiceBridge?

Mount the VoiceBridge at head height: The clarity is better the closer staff or customers are to the microphone. If the speaker is standing, the VoiceBridge should be placed higher than if the speaker is sitting. The microphones are located on the bottom right, which is why the attachment slightly left of the head is recommended.

How long does the battery of the Bluetooth headset last?

The battery life is about 11 hours in continuous operation. The standby time is about 60 hours and the headset will be fully charged via USB cable in about 2 hours.

Why do I need a battery for operating the VoiceBridge?

It is not always possible to plug in an intercom unit into a power outlet. This might be the case with mobile information desks or when safety regulations prohibit cable routing to an electrical outlet for safety reasons.

How can I test the VoiceBridge?

Please note that the intercom system is only activated by infrared sensors if someone appears within a distance of about 50 cm in front of it. If you have installed the VoiceBridge and would like to test it, please make sure that there is also someone on the opposite side.

When is the set with Bluetooth headset recommended?

Whenever staff walks around, picks up things from shelves or the workplace situation requires a bigger range of motion: The headset remains connected to the customer's intercom within a radius of 5-10 meters. But the setup with Bluetooth headset also makes sense - for example - if no cable can be routed between the customer call station and the staff call station. This is often the case with permanently installed protective screens or completely closed information desks.

Operation -

What to do if I hear echoes?

Turn down the VoiceBridge: Echoes are typically caused by reflections and radiation from loudspeakers into microphones. To maintain the impression of a natural conversation and to avoid echoes and feedback the VoiceBridge should always be operated as quietly as possible.



WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de



Frequently asked questions

We have thought of everything to make it easy for you

Operation - Why do the units whistle (feedback)?

Reduce the volume with the supplied mini cross-head screwdriver as listed in the operating instructions. If possible, position the microphone units further apart.

Can I connect any headset?

The VoiceBridge supports most commercially available Bluetooth headsets. The headsets included in the set are already paired with the unit ex works.

How many headsets can I use in one station?

If every staff member would like to have his own headset, up to 8 headsets can be paired per Bluetooth intercom unit.

How do I switch between the intercom unit and the headset?

The VoiceBridge does this automatically. As soon as the headset is off or out of range, the voice station is activated. This only applies to the "Standard & Bluetooth" set

How do I clean the VoiceBridge?

You can easily clean the VoiceBridge with a surface cleaner and a cloth. The same applies to the headsets.

Are there hygienic covers available for the headsets?

Yes, we also offer hygienic covers for the headset, just ask us about it!

I cannot run any cables.

In this case, use our battery in combination with the Bluetooth set. This way you do not have to run any cables.

How can I pair another headset?

Simply press and hold the Bluetooth pairing button (see operating instructions).

How can I regulate the volume of the intercom?

You can adjust the volume very easily with an integrated volume control reg-

Questions?

Please contact our support - we are ready to help:



support@whd.de



Phone:
+49 (0) 74 20 / 8 89-800

ulator. You will find detailed information on this in the respective operating manual.

Why does my headset not connect to the intercom unit?

Probably because another headset is still connected to the Bluetooth unit (see status messages in the operating instructions). Pair your headset again if necessary.

How can I mute the microphone of the headset?

Simply double tap the key on the headset. For confirmation a sound signal will give you feedback. The microphone can also be reactivated similarly.

How can I adjust the volume on the headset?

There are two buttons (+/-) directly on the headset.

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany


Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)



90
YEARS

WHD[®]
SOUNDS GOOD



Experience and Innovation

More than 90 years of expertise are invested in the VoiceBridge

WHD is a family owned business with a 90-year tradition and the know-how from thousands of projects for major clients around the world. Our audio systems ensure good sound, safety and optimal speech clarity in buses and trains, at pedestrian crossings and in medical devices.



WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen, Germany

Phone: +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: [fb.com/whdsounds](https://www.facebook.com/whdsounds)
Instagram: [instagram.com/whd.de](https://www.instagram.com/whd.de)

voice-bridge.com 

WHD

Wilhelm Huber + Söhne GmbH + Co. KG
Bismarckstraße 19
78652 Deisslingen
Germany

Phone +49 (0) 74 20 / 8 89-0
Fax: +49 (0) 74 20 / 8 89-51
Email: info@whd.de

Internet: www.whd.de
Facebook: fb.com/whdsounds
Instagram: instagram.com/whd.de

We are looking forward to
answer your questions about
the VoiceBridge!



Your team at WHD